ELSEVIER

Physica C 300 (1998) 311–313

PHYSICA C

Author Index to Volume 300

Abe, K., see Watanabe, N., **300** (1998) 301
Amm, K.M., see Sastry, P.V.P.S.S., **300** (1998) 125
Andersen, J.N., see Nylén, H., **300** (1998) 161
Antipov, E.V., see Istomin, S.Ya., **300** (1998) 67
Antipov, E.V., see Lokshin, K.A., **300** (1998) 71

Baltrusch, R., see Otto, H.H., **300** (1998) 191
Becker, R., see Widder, K., **300** (1998) 115
Bellot, P.V., see Piskunov, Y.V., **300** (1998) 225
Bódi, A.C., see Laiho, R., **300** (1998) 6
Bratsberg, H., see Koblischka, M.R., **300** (1998) 207
Burlakov, V.M., see Widder, K., **300** (1998) 115

Cardona, M., see Lin, C.T., **300** (1998) 141
Casañ-Pastor, N., see Michel, C.R., **300** (1998) 310
Casañ-Pastor, N., see Ondoño-Castillo, S., **300** (1998) 309
Chen, L., see Wu, Y., **300** (1998) 98
Chen, X., see Jiang, L., **300** (1998) 61
Cheon, M.Y., see Kim, G.C., **300** (1998) 105
Chiaia, G., see Nylén, H., **300** (1998) 161
Chui, T.C., see Yang, Y., **300** (1998) 151

Davydov, V.V., see Lokshin, K.A., **300** (1998) 71
Delaplane, R.G., see Markvardsen, A., **300** (1998) 110
Dinger, A., see Widder, K., **300** (1998) 115
Dou, S.X., see Guo, Y.C., **300** (1998) 38
Dou, S.X., see Horvat, J., **300** (1998) 43
Dou, S.X., see Zeng, R., **300** (1998) 49
Du, J., see Jiang, L., **300** (1998) 61
D'yachenko, O.G., see Istomin, S.Ya., **300** (1998) 67

Fossheim, K., see Koblischka, M.R., **300** (1998) 207
Fujinami, K., M. Karppinen and H. Yamauchi, Investigation of different hole-doping routes in $Cu(Ba,Sr)_2(Yb_{1-x}Ca_x)$-$Cu_2O_{6+z}$, **300** (1998) 17

Gao, J., see Yang, Y., **300** (1998) 151
Gaur, N.K., see Shelke, V., **300** (1998) 217
Geerk, J., see Widder, K., **300** (1998) 115
Gerashenko, A.P., see Piskunov, Y.V., **300** (1998) 225
Geserich, H.P., see Widder, K., **300** (1998) 115
Gömöry, F., see Rabbers, J.J., **300** (1998) 1
Goodilin, E., M. Limonov, A. Panfilov, N. Khasanova, A. Oka, S. Tajima and Y. Shiohara, Oxygen nonstoichiometry and phase transitions of the neodymium-rich $Nd_{1+x}Ba_{2-x}Cu_3O_z$ solid solution, **300** (1998) 250
Göppert, M., see Widder, K., **300** (1998) 115
Grippa, A.Yu., see Istomin, S.Ya., **300** (1998) 67
Guo, Y.C., J. Horvat, H.K. Liu and S.X. Dou, Current limiting effect of residual $Bi_2Sr_2CuO_6$ in silver-sheathed $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ superconductors, **300** (1998) 38
Guo, Y.C., see Horvat, J., **300** (1998) 43

Hasegawa, T., see Matsuura, S., **300** (1998) 26
Horvat, J., Y.C. Guo, B. Zeimetz, H.K. Liu and S.X. Dou, Improvement of grain connectivity in Bi2223/Ag tapes by reducing Bi2201 phase at grain boundaries, **300** (1998) 43
Horvat, J., see Guo, Y.C., **300** (1998) 38
Huang, S.L., see Koblischka, M.R., **300** (1998) 207

Iiyama, M., see Nakamura, T., **300** (1998) 93
Inada, H., see Nakamura, T., **300** (1998) 93
Istomin, S.Ya., A.Yu. Grippa, O.G. D'yachenko, E.V. Antipov, G. Svensson and J.L. Tholence, A new superconducting sulfide—'$EuNb_2S_5$', **300** (1998) 67
Itskevich, E.S., see Lokshin, K.A., **300** (1998) 71

Jia, Y.Q., see Jin, M.Z., **300** (1998) 87
Jiang, L., Y. Sun, X. Wan, K. Wang, G. Xu, X. Chen, K. Ruan and J. Du, Improvement of the phase formation and superconductivity of the $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ silver-sheathed tapes with B_2O_3 addition, **300** (1998) 61
Jin, M.Z., X.Y. Li, M.L. Liu, R. Liu and Y.Q. Jia, Variation of quadrupole splitting at ^{151}Eu nucleus in $EuBa_2Cu_3O_{7-x}$ thick film around superconducting transition temperature with frequency of AC electric current, **300** (1998) 87
Johansen, T.H., see Koblischka, M.R., **300** (1998) 207
Jørgensen, J.-E., see Markvardsen, A., **300** (1998) 110

Karlsson, U.O., see Nylén, H., **300** (1998) 161
Karppinen, M., see Fujinami, K., **300** (1998) 17
Khasanov, R., see Shaposhnikova, T., **300** (1998) 239
Khasanova, N., see Goodilin, E., **300** (1998) 250
Kierfeld, J., Topological order in the phase diagram for high-temperature superconductors with point defects, **300** (1998) 171
Kim, G.C., M.Y. Cheon and Y.C. Kim, Magnetic field and temperature dependence of intergranular activation energy in polycrystalline $HgBa_2Ca_2Cu_3O_{8+\delta}$ and $(Tl,Pb,Bi)(Ba,Sr)_2$-$Ca_2Cu_3O_y$ superconductors, **300** (1998) 105

Kim, Y.C., see Kim, G.C., **300** (1998) 105
Kitazawa, K., see Matsuura, S., **300** (1998) 26
Kläser, M., see Widder, K., **300** (1998) 115
Klingshirn, C., see Widder, K., **300** (1998) 115
Knoll, D.C., see Sastry, P.V.P.S.S., **300** (1998) 125
Kobayashi, A., Y. Ōno, T. Matsuura and Y. Kuroda, Dynamical spin susceptibility of the d–p model in the over doping region, **300** (1998) 287
Koblischka, M.R., S.L. Huang, K. Fossheim, T.H. Johansen and H. Bratsberg, Evidence for pinning by $(Sr,Ca)_2CuO_y$ particles in partial-melting processed bulk $Bi_2Sr_2CaCu_2O_{8+\delta}$ ceramics, **300** (1998) 207
Koshizuka, N., see Pradhan, A.K., **300** (1998) 77
Koshizuka, N., see Watanabe, N., **300** (1998) 301
Kovba, M.L., see Lokshin, K.A., **300** (1998) 71
Koyama, T., see Machida, M., **300** (1998) 55
Kugel, K.I., L.G. Mamsurova, K.S. Pigalskiy and A.L. Rakhmanov, Surface barrier and magnetic hysteresis of ac permeability in YBaCuO single crystal, **300** (1998) 270
Kulikova, L.F., see Lokshin, K.A., **300** (1998) 71
Kuroda, K., see Pradhan, A.K., **300** (1998) 77
Kuroda, K., see Watanabe, N., **300** (1998) 301
Kuroda, Y., see Kobayashi, A., **300** (1998) 287
Kuzemskaya, I.G., see Lokshin, K.A., **300** (1998) 71

Lähderanta, E., see Laiho, R., **300** (1998) 6
Laiho, R., E. Lähderanta and A.C. Bódi, Flux dynamics during the superconducting transition of a YBCO sample exposed to a temperature gradient, **300** (1998) 6
Leandersson, M., see Nylén, H., **300** (1998) 161
Leonyuk, L., see Nylén, H., **300** (1998) 161
Lev, L., see Nylén, H., **300** (1998) 161
Li, L., see Wu, Y., **300** (1998) 98
Li, L., see Yang, Y., **300** (1998) 151
Li, X.Y., see Jin, M.Z., **300** (1998) 87
Limonov, M., see Goodilin, E., **300** (1998) 250
Lin, C.T., Y. Yan, K. Peters, E. Schönherr and M. Cardona, Flux growth of $Hg_{1-x}Re_xBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$ single crystals by self-atmosphere, **300** (1998) 141
Lindau, I., see Nylén, H., **300** (1998) 161
Liu, H.K., see Guo, Y.C., **300** (1998) 38
Liu, H.K., see Horvat, J., **300** (1998) 43
Liu, H.K., see Zeng, R., **300** (1998) 49
Liu, M.L., see Jin, M.Z., **300** (1998) 87
Liu, R., see Jin, M.Z., **300** (1998) 87
Liu, W., see Wu, Y., **300** (1998) 98
Lokshin, K.A., D.A. Pavlov, M.L. Kovba, E.V. Antipov, I.G. Kuzemskaya, L.F. Kulikova, V.V. Davydov, I.V. Morozov and E.S. Itskevich, Synthesis and characterization of overdoped Hg-1234 and Hg-1245 phases; the universal behavior of T_c variation in the $HgBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$ series, **300** (1998) 71
Lüerßen, D., see Widder, K., **300** (1998) 115

Machida, M., T. Koyama and M. Tachiki, Instability of the longitudinal plasma oscillations and intrinsic AC Josephson effects in Josephson coupled high-T_c superconductors, **300** (1998) 55
Mamsurova, L.G., see Kugel, K.I., **300** (1998) 270
Markvardsen, A., J.-E. Jørgensen, A. Wannberg and R.G. Delaplane, Synthesis and neutron powder diffraction study of $Nd_{2-x}Ba_{2+x}Cu_2Ti_2O_{11}$ for $x = 0.0$ and 0.3, **300** (1998) 110
Matsuura, S., T. Taneda, W. Yamaguchi, H. Sugawara, T. Hasegawa and K. Kitazawa, Reproducible superconducting gap on clean surfaces of BiSrCaCuO prepared by etching with a scanning tunneling microscope tip, **300** (1998) 26
Matsuura, T., see Kobayashi, A., **300** (1998) 287
Medvedev, E.Yu., see Piskunov, Y.V., **300** (1998) 225
Michel, C.R. and N. Casañ-Pastor, Erratum to "Electrochemical oxidation of La_2CuO_4 in fused nitrates" [Physica C 278 (1997) 149–159], **300** (1998) 310
Mikhalev, K.N., see Piskunov, Y.V., **300** (1998) 225
Mikheeva, M.N., see Nylén, H., **300** (1998) 161
Mimura, T., I. Terasaki, K. Tomimoto, S. Tajima, M. Nakamura and Y. Shiohara, Unusual resistivity broadening in the mixed state of $NdBa_2Cu_3O_{7-\delta}$ crystals grown by a crystal-pulling technique, **300** (1998) 212
Morozov, I.V., see Lokshin, K.A., **300** (1998) 71
Müller-Vogt, G., see Widder, K., **300** (1998) 115
Münzel, J., see Widder, K., **300** (1998) 115

Nakamura, M., see Mimura, T., **300** (1998) 212
Nakamura, T., H. Inada and M. Iiyama, Superconducting field effect transistors with $YBa_2Cu_3O_{7-x}/SrTiO_3/YBa_2Cu_3O_{7-x}$ trilayer structure, **300** (1998) 93
Nazin, V.G., see Nylén, H., **300** (1998) 161
Nyholm, R., see Nylén, H., **300** (1998) 161
Nylén, H., M. Qvarford, G. Chiaia, O. Tjernberg, S. Söderholm, A.A. Zakharov, M. Leandersson, V.G. Nazin, M.B. Tsetlin, L. Lev, J.N. Andersen, R. Nyholm, I. Lindau, U.O. Karlsson, M.N. Mikheeva and L. Leonyuk, O *KVV* Auger emission versus resonant photoemission at the O K edge of high-T_c superconductors, **300** (1998) 161

Oka, A., see Goodilin, E., **300** (1998) 250
Oka, K., Z. Zou and J. Ye, Crystal growth of superconductive $PrBa_2Cu_3O_{7-y}$, **300** (1998) 200
Okulova, K.A., see Piskunov, Y.V., **300** (1998) 225
Ondoño-Castillo, S. and N. Casañ-Pastor, Erratum to "Thermal and mechanical effects on the properties of $YBa_2Cu_3O_{7-\delta}$ deposits obtained by electrodeposition of precursors in presence of cyanide". [Physica C 276 (1997) 251–258], **300** (1998) 309
Ono, A. and A. Watanabe, Superconductivity, Ca content and oxygen deficiency of $Ga(Sr,Ca)_2(Yb,Ca)Cu_2O_7$, **300** (1998) 281
Ōno, Y., see Kobayashi, A., **300** (1998) 287
Otto, H.H., S. Ringshandl and R. Baltrusch, (Tl, Pb, Cu)Sr_2(Tl, Pb, Cu)$_2Cu_2O_{8-\delta}$: a nonsuperconducting Tl-1222* cuprate with both heavy atom single and oxygen depleted double layer motifs, **300** (1998) 191

Panfilov, A., see Goodilin, E., **300** (1998) 250
Pavlov, D.A., see Lokshin, K.A., **300** (1998) 71

Peters, K., see Lin, C.T., **300** (1998) 141
Peterson, S.C., see Sastry, P.V.P.S.S., **300** (1998) 125
Pigalskiy, K.S., see Kugel, K.I., **300** (1998) 270
Piskunov, Y.V., K.N. Mikhalev, Yu.I. Zhdanov, A.P. Gerashenko, S.V. Verkhovskii, K.A. Okulova, E.Yu. Medvedev, A.Yu. Yakubovskii, L.D. Shustov, P.V. Bellot and A. Trokiner, Influence of the doping level on the charge distribution among the inequivalent CuO_2 layers in $Tl_2Ba_2Ca_2Cu_3O_{10-\delta}$: a NMR study, **300** (1998) 225
Plackowski, T., C. Sułkowski, D. Włosewicz and J. Wnuk, Effect of the RE^{3+} ionic size on the $REBa_2Cu_3O_{7-\delta}$ ceramics oxygenated at 250 bar, **300** (1998) 184
Pradhan, A.K., K. Kuroda, T. Takagi and N. Koshizuka, Magnetization hysteresis loops and relaxation in a twin-free $Nd_{1+x}Ba_{2-x}Cu_3O_{7-y}$ single crystal, **300** (1998) 77

Qvarford, M., see Nylén, H., **300** (1998) 161

Rabbers, J.J., B. ten Haken, F. Gömöry and H.H.J. ten Kate, Self-field loss of BSCCO/Ag tape in external AC magnetic field, **300** (1998) 1
Rakhmanov, A.L., see Kugel, K.I., **300** (1998) 270
Ringshandl, S., see Otto, H.H., **300** (1998) 191
Ruan, K., see Jiang, L., **300** (1998) 61

Sastry, P.V.P.S.S., K.M. Amm, D.C. Knoll, S.C. Peterson and J. Schwartz, Synthesis and processing of Bi-doped $Hg_1Ba_2Ca_2Cu_3O_y$ superconductors, **300** (1998) 125
Schönherr, E., see Lin, C.T., **300** (1998) 141
Schwartz, J., see Sastry, P.V.P.S.S., **300** (1998) 125
Shaposhnikova, T., Yu. Vashakidze, R. Khasanov and Yu. Talanov, Peculiarities of the vortex dynamics in $YBa_2Cu_3O_x$ single crystals as revealed by irreversible microwave absorption, **300** (1998) 239
Shelke, V., H.S. Tewari, N.K. Gaur and R.K. Singh, Effect of Hg addition on synthesis of Bi-based superconductors, **300** (1998) 217
Shiohara, Y., see Goodilin, E., **300** (1998) 250
Shiohara, Y., see Mimura, T., **300** (1998) 212
Shiohara, Y., see Watanabe, N., **300** (1998) 301
Shustov, L.D., see Piskunov, Y.V., **300** (1998) 225
Singh, R.K., see Shelke, V., **300** (1998) 217
Söderholm, S., see Nylén, H., **300** (1998) 161
Sugawara, H., see Matsuura, S., **300** (1998) 26
Sułkowski, C., see Plackowski, T., **300** (1998) 184
Sun, J.L., see Yang, Y., **300** (1998) 151
Sun, Y., see Jiang, L., **300** (1998) 61
Sunandana, C.S., see Suvarna, A.M., **300** (1998) 33
Suvarna, A.M. and C.S. Sunandana, Magnetic penetration depth in K-doped Bi-2212 $Bi_2Sr_2CaCu_{2-x}K_xO_{8+\delta}$: ESR study, **300** (1998) 33
Svensson, G., see Istomin, S.Ya., **300** (1998) 67

Tachiki, M., see Machida, M., **300** (1998) 55
Tagami, M., see Watanabe, N., **300** (1998) 301
Tajima, S., see Goodilin, E., **300** (1998) 250
Tajima, S., see Mimura, T., **300** (1998) 212
Takagi, T., see Pradhan, A.K., **300** (1998) 77
Talanov, Yu., see Shaposhnikova, T., **300** (1998) 239
Taneda, T., see Matsuura, S., **300** (1998) 26
Ten Haken, B., see Rabbers, J.J., **300** (1998) 1
Ten Kate, H.H.J., see Rabbers, J.J., **300** (1998) 1
Terasaki, I., see Mimura, T., **300** (1998) 212
Tewari, H.S., see Shelke, V., **300** (1998) 217
Tholence, J.L., see Istomin, S.Ya., **300** (1998) 67
Tjernberg, O., see Nylén, H., **300** (1998) 161
Tomimoto, K., see Mimura, T., **300** (1998) 212
Trokiner, A., see Piskunov, Y.V., **300** (1998) 225
Tsetlin, M.B., see Nylén, H., **300** (1998) 161

Vashakidze, Yu., see Shaposhnikova, T., **300** (1998) 239
Verkhovskii, S.V., see Piskunov, Y.V., **300** (1998) 225

Wan, X., see Jiang, L., **300** (1998) 61
Wang, K., see Jiang, L., **300** (1998) 61
Wannberg, A., see Markvardsen, A., **300** (1998) 110
Watanabe, A., see Ono, A., **300** (1998) 281
Watanabe, N., K. Kuroda, K. Abe, N. Koshizuka, M. Tagami and Y. Shiohara, Phonon Raman scattering in $Nd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ and $Pr_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ single crystals, **300** (1998) 301
Widder, K., J. Münzel, M. Göppert, D. Lüerßen, R. Becker, A. Dinger, H.P. Geserich, C. Klingshirn, M. Kläser, G. Müller-Vogt, J. Geerk and V.M. Burlakov, Optical investigations of oxygen ordering and persistent photo-doping in tetragonal YBCO, **300** (1998) 115
Włosewicz, D., see Plackowski, T., **300** (1998) 184
Wnuk, J., see Plackowski, T., **300** (1998) 184
Wu, Y., W. Liu, L. Chen and L. Li, Lattice image of $Tl_2Ba_2CaCu_2O_8$ thin films grown on tilted surface of $LaAlO_3$ substrate, **300** (1998) 98

Xu, G., see Jiang, L., **300** (1998) 61

Yakubovskii, A.Yu., see Piskunov, Y.V., **300** (1998) 225
Yamaguchi, W., see Matsuura, S., **300** (1998) 26
Yamauchi, H., see Fujinami, K., **300** (1998) 17
Yan, Y., see Lin, C.T., **300** (1998) 141
Yang, Y., J. Gao, J.L. Sun, T.C. Chui and L. Li, Microstructural study of ramp type multilayer Josephson junctions with different ramp slopes, **300** (1998) 151
Ye, J., see Oka, K., **300** (1998) 200

Zakharov, A.A., see Nylén, H., **300** (1998) 161
Zeimetz, B., see Horvat, J., **300** (1998) 43
Zeng, R., H.K. Liu and S.X. Dou, A new structural powder/wire-in-tube (PWIT) Ag-sheathed multifilamentary Bi-2223 tape and its superconducting properties, **300** (1998) 49
Zhdanov, Yu.I., see Piskunov, Y.V., **300** (1998) 225
Zou, Z., see Oka, K., **300** (1998) 200

ELSEVIER

Physica C 300 (1998) 314–315

PHYSICA C

Analytic Subject Index to Volume 300

AC susceptibility
–of $(Tl,Pb,Bi)(Ba,Sr)_2Ca_2Cu_3O_y$ 105
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ 105
–of YBCO 6

Activation energy
–of $(Tl,Pb,Bi)(Ba,Sr)_2Ca_2Cu_3O_y$ 105
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ 105
Ag/superconductor interface
–in Bi-2223 tapes 49
Applications
–of high T_c superconductor 1
Auxiliary-boson technique 287

Background conductance
–of $Bi_2Sr_2CaCu_2O_y$ 26

B_2O_3 addition
–in Bi2223/Ag tapes 61

Cation distribution
–in $Nd_{2-x}Ba_{2+x}Cu_2Ti_2O_{11}$ 110
Correlation length 171
Coulomb interactions
–in $Ba_{0.6}K_{0.4}BiO_3$ 161
–in $Ba_{0.9}K_{0.1}BiO_3$ 161
–in $Bi_2Sr_2CaCu_2O_8$ 161
–in $Bi_2Sr_2CuO_6$ 161
Critical current
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ 38
Critical current density
–of Bi-2223 tapes 49
–of Bi2223/Ag tapes 43, 61
–of $Nd_{1+x}Ba_{2-x}Cu_3O_{7-y}$ single crystal 77
–of $YBa_2Cu_3O_x$ single crystals 239
Crystal growth
–of $PrBa_2Cu_3O_{7-y}$ 200
Cu valences
–in $GaSr_{1.8}Ca_{0.2}Yb_{1-x}Ca_xCu_2O_7$ 281
Cu-O chains
–in YBCO 115
Cu-O planes 161
CuO_2 planes
–in $Tl_2Ba_2Ca_nCu_{n+1}O_{6+2n-\delta}$ 225
Current limiting factor 38

Defect structures
–in $YBa_2Cu_3O_{7-\delta}/PrBa_2Cu_3O_{7-\delta}/YBa_2Cu_3O_{7-\delta}$ 151
Distribution of holes
–in $Tl_2Ba_2Ca_nCu_{n+1}O_{6+2n-\delta}$ 225
d-p model 287
Dynamical spin susceptibility 287

Electric field gradient; 225
Electrical resistivity
–of $NdBa_2Cu_3O_{7-\delta}$ crystals 212
–of $REBa_2Cu_3O_{7-\delta}$ 184
Electron phonon coupling
–in $Nd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ 301
–in $Pr_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ 301
Electronic structure
–of $Ba_{0.6}K_{0.4}BiO_3$ 161
–of $Ba_{0.9}K_{0.1}BiO_3$ 161
–of $Bi_2Sr_2CaCu_2O_8$ 161
–of $Bi_2Sr_2CuO_6$ 161
Energy gap
–of -of $Bi_2Sr_2CaCu_2O_y$ 26
ESR
–on $Bi_2Sr_2CaCu_{2-x}K_xO_{8+\delta}$ 33

Field effect transistor
–of $YBa_2Cu_3O_{7-x}/SrTiO_3/YBa_2Cu_3O_{7-x}$ 93
Fluctuations
–in YBCO 6
Flux distribution
–in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 207
Flux dynamics
–in YBCO 6
Flux growth
–of $Hg_{1-x}Re_xBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$ single crystals 141
Flux line lattice
–in $YBa_2Cu_3O_x$ single crystal 270
Flux pinning
–in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ 38
–in Bi2223/Ag tapes 43
–in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 207
–in $Nd_{1+x}Ba_{2-x}Cu_3O_{7-y}$ single crystal 77
–in YBCO 6

Grain alignment
–in Bi2223/Ag tapes 61
Grain boundaries; 43
–in $REBa_2Cu_3O_{7-\delta}$ 184
Grain connectivity
–in Bi2223/Ag tapes 43
Granular superconductivity
–of $(Tl,Pb,Bi)(Ba,Sr)_2Ca_2Cu_3O_y$ 105
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ 105
Growth spiral 141

Heat treatments
–of $HgBa_2Ca_3Cu_4O_{10+\delta}$ 71
–of $HgBa_2Ca_4Cu_5O_{12+\delta}$ 71
High pressure synthesis
–of $HgBa_2Ca_3Cu_4O_{10+\delta}$ 71
–of $HgBa_2Ca_4Cu_5O_{12+\delta}$ 71
High-pressure annealing
–of $GaSr_{1.8}Ca_{0.2}Yb_{1-x}Ca_xCu_2O_7$ 281
Hole doping routes
–of $Cu(Ba,Sr)_2(Yb_{1-x}Ca_x)Cu_2O_{6+z}$ 17
HREM
–on $YBa_2Cu_3O_{7-\delta}/PrBa_2Cu_3O_{7-\delta}/YBa_2Cu_3O_{7-\delta}$ 151
Hysteresis
–of $YBa_2Cu_3O_x$ single crystal 270
Hysteresis loss
–in $EuBa_2Cu_3O_{7-x}$ thick film 87

Infrared spectroscopy
–on YBCO 115
IV-characteristics
–of BSCCO/Ag tapes 1

Josephson effect 151
Josephson junctions 55

Knight shift
–in $Tl_2Ba_2Ca_nCu_{n+1}O_{6+2n-\delta}$ 225

Longitudinal plasma oscillations 55

Magnetic penetration depth
–in $Bi_2Sr_2CaCu_{2-x}K_xO_{8+\delta}$ 33

Magnetic permeability
–of $YBa_2Cu_3O_x$ single crystal 270
Magnetic susceptibility
–of $EuNb_2S_5$ 67
Magnetization
–of $(Hg,Bi)Ba_2Ca_2Cu_3O_y$ 125
Magnetization hysteresis loops
–of $Nd_{1+x}Ba_{2-x}Cu_3O_{7-y}$ single crystal 77
Mechanical properties
–of $(Tl,Pb,Cu)Sr_2(Tl,Pb,Cu)_2Cu_2O_{8-\delta}$ 191
Microstructure
–of $(Hg,Bi)Ba_2Ca_2Cu_3O_y$ 125
–of Bi2223/Ag tapes 61
–of $YBa_2Cu_3O_{7-\delta}/PrBa_2Cu_3O_{7-\delta}/YBa_2Cu_3O_{7-\delta}$ 151
Microwave absorption
–in $YBa_2Cu_3O_x$ single crystals 239
Mixed state
–in $YBa_2Cu_3O_x$ single crystal 270
Mossbauer spectra
–of $EuBa_2Cu_3O_{7-x}$ thick film 87

Neutron diffraction
–on $Nd_{2-x}Ba_{2+x}Cu_2Ti_2O_{11}$ 110
Nonsuperconducting cuprate 191

^{17}O NMR
–on $Tl_2Ba_2Ca_nCu_{n+1}O_{6+2n-\delta}$ 225
Optical reflectivity
–of YBCO 115
O-T transition
–in YBCO 115
Oxygen deficiency
–in $GaSr_{1.8}Ca_{0.2}Yb_{1-x}Ca_xCu_2O_7$ 281
Oxygen nonstoichiometry
–of $Nd_{1+x}Ba_{2-x}Cu_3O_z$ 250
Oxygen stoichiometry
–in $Cu(Ba,Sr)_2(Yb_{1-x}Ca_x)Cu_2O_{6+z}$ 17
–in $GaSr_{1.8}Ca_{0.2}Yb_{1-x}Ca_xCu_2O_7$ 281
–of $HgBa_2Ca_3Cu_4O_{10+\delta}$ 71
–of $HgBa_2Ca_4Cu_5O_{12+\delta}$ 71
–of YBCO 115

Particles
–in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 207
Peak effect
–in $NdBa_2Cu_3O_{7-\delta}$ crystals 212
Phase diagram
–of $YBa_2Cu_3O_x$ single crystals 239
Phase formation
–of Bi2223/Ag tapes 61
Phase transition
–in $Nd_{1+x}Ba_{2-x}Cu_3O_z$ 250
Phonon spectrum
–of $Nd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ 301
–of $Pr_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ 301
Point defects 171

Quadruple perovskites 110
Quadrupole splitting
–in $EuBa_2Cu_3O_{7-x}$ thick film 87
Quasi-particle interaction 287
Quenching studies
–on $(Hg,Bi)Ba_2Ca_2Cu_3O_y$ 125

Raman scattering
–in $Nd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ 301
–in $Pr_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ 301
–on $Nd_{1+x}Ba_{2-x}Cu_3O_z$ 250
Relaxation
–in $Nd_{1+x}Ba_{2-x}Cu_3O_{7-y}$ single crystal 77
Resistivity broadening
–for $NdBa_2Cu_3O_{7-\delta}$ crystals 212
Resonant photoemission
–of $Ba_{0.6}K_{0.4}BiO_3$ 161
–of $Ba_{0.9}K_{0.1}BiO_3$ 161
–of $Bi_2Sr_2CaCu_2O_8$ 161
–of $Bi_2Sr_2CuO_6$ 161

Scanning tunneling microscopy
–on $Bi_2Sr_2CaCu_2O_y$ 26
Secondary phase
–in Bi2223/Ag tapes 43
Self field loss
–of BSCCO/Ag tapes 1
Solid solution
–of $Nd_{1+x}Ba_{2-x}Cu_3O_z$ 250
Spin fluctuation 287
Spin Knight shift 287
Spin-lattice relaxation rate 287
Spin-spin relaxation rate 287
Strain tolerance
–for Bi-2223 tapes 49
Structure
–of $(Tl,Pb,Cu)Sr_2(Tl,Pb,Cu)_2Cu_2O_{8-\delta}$ 191
–of $Cu(Ba,Sr)_2(Yb_{1-x}Ca_x)Cu_2O_{6+z}$ 17
–of $EuNb_2S_5$ 67
–of $Hg_{1-x}Re_xBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$ single crystals 141
–of $HgBa_2Ca_3Cu_4O_{10+\delta}$ 71
–of $HgBa_2Ca_4Cu_5O_{12+\delta}$ 71
–of $Nd_{1+x}Ba_{2-x}Cu_3O_z$ 250
–of $Nd_{2-x}Ba_{2+x}Cu_2Ti_2O_{11}$ 110
–of $PrBa_2Cu_3O_{7-y}$ single crystals 200
–of $Tl_2Ba_2CaCu_2O_8$ thin films 98
–of $YBa_2Cu_3O_{7-x}/SrTiO_3/YBa_2Cu_3O_{7-x}$ trilayer 93
Substitution effects
–in $Nd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ 301
–in $Pr_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ 301
Superconductivity
–in $Cu(Ba,Sr)_2(Yb_{1-x}Ca_x)Cu_2O_{6+z}$ 17
–in $EuNb_2S_5$ 67
–in $Hg_{1-x}Re_xBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$ single crystals 141
–in $PrBa_2Cu_3O_{7-y}$ single crystals 200
Surface barrier
–in $YBa_2Cu_3O_x$ single crystal 270
Surface etching
–of $Bi_2Sr_2CaCu_2O_y$ 26
Synthesis
–of $(Hg,Bi)Ba_2Ca_2Cu_3O_y$ 125
–of $(Tl,Pb,Cu)Sr_2(Tl,Pb,Cu)_2Cu_2O_{8-\delta}$ 191
–of Bi-2223 tapes 49
–of $Cu(Ba,Sr)_2(Yb_{1-x}Ca_x)Cu_2O_{6+z}$ 17
–of $EuNb_2S_5$ 67
–of $Nd_{2-x}Ba_{2+x}Cu_2Ti_2O_{11}$ 110
–of $PrBa_2Cu_3O_{7-y}$ single crystals 200
–of $Tl_2Ba_2CaCu_2O_8$ thin films 98
–of $YBa_2Cu_3O_{7-x}/SrTiO_3/YBa_2Cu_3O_{7-x}$ trilayer 93
Systematology 191

Thin films 151
Tilted $LaAlO_3$ substrate
–for $Tl_2Ba_2CaCu_2O_8$ thin films 98
Topological order 171
Transmission electron microscopy
–on $Tl_2Ba_2CaCu_2O_8$ thin films 98
Tunneling
–in $REBa_2Cu_3O_{7-\delta}$ 184
Tunneling spectroscopy
–on $Bi_2Sr_2CaCu_2O_y$ 26
Tweed structure
–in $Hg_{1-x}Re_xBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$ single crystals 141

Vortex matter
–in $YBa_2Cu_3O_x$ single crystals 239

Weak links
–in Bi2223/Ag tapes 43
Week links
–in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ tapes 38